
## MBE - electric heaters









Notice:

When the ventilation system is turned off, the fan must be allowed to run for cooling down the heating rods with a delay of min. 2 minutes Otherwise, there is a risk of damage to the heater and other equipment.

#### Technical parameters

#### ■ MBE - electric heater for circular pipes

- · has a housing made of galvanized or painted sheet metal, the cabinet contains a terminal board and internal installation
- · heating rods are made of stainless steel
- · is fitted with two thermostats, one is working (60 °C), the other is safety (safety switches off at 120°C)
- · the reset button of the safety thermostat is located on the housing, during assembly it is necessary to place the heater in view of the revision activity
- minimum air speed in the heater is 1.5 m/s
- continuous regulation is carried out by the REG 230/400 or TTC 2000 regulator
- IP43 protection
- they are mounted behind the fan in the direction of air flow, approx. 1 m of pipe must be inserted between the fan and
- the following designs are available outside the standard performance range:

MBE-100 - 0.8 kW MBE-125 - 0.4/0.8 kW

MBE-160 - 0.7/1.4 kW

MBE-200 - 2/3/4/9 kW

MBE-250 - 1.4/2/3/4/5/9 kW

MBE-315 - 3/12/15 kW MBE-355 - 6/12/15/18kW

MBE-400 - 6/12/15/18 kW MBE-500 - 6/12/15/18 kW

Example of order execution

MBE 125 / 1,2

pipe connection diameter electric heating output (kW)



when turning off the fans, the dampers in the system must be closed only after the rods have cooled down, otherwise there is a risk of damage to the heater and other equipment

#### Accessories



REG 230/400 temperature control for MBE (K8.3)



TTC 2000 triac regulator (K8.3)



JTR triac switch (K 8.3)



TGBR 430 room temperature sensor with control element



TGBR 530 room temperature sensor without control element



TGBK 330, 360 channel temperature sensor for pipes




TGBA 130 attached temperature

Туре	suitable for fans		input power	voltage	current	min. flow	schema	regulator
	MIXVENT-TD	RM-N, CVAB(T)-N	[W]	[V]	[A]	[m³/h]	chapter	regulator
MBE-100/0.4	250/100	100	400	1/230	1.7	50	8.3	REG 230/400
MBE-125/1.2	350/125	125	1,200	1/230	5.2	70	8.3	REG 230/400
MBE-160/2.1	500/160	160	2,100	1/230	9.1	110	8.3	REG 230/400
MBE-200/5.0	800/200	200	5,000	2/400	12.5	170	8.3	REG 230/400
MBE-250/6.0	1000-1300/250	250	6,000	2/400	15.0	270	8.3	REG 230/400
MBE-315/6.0	2000/315	315	6,000	2/400	15.0	420	8.3	REG 230/400
MBE-315/9.0	2000/315	315	9,000	3/400	13.0	420	8.3	TTC 2000, JTR-18-1-B
MBE-355/9.0	4000/355	355	9,000	3/400	13.0	540	8.3	TTC 2000, JTR-18-1-B
MBE-400/9.0	6000/400	400	9,000	3/400	13.0	680	8.3	TTC 2000, JTR-18-1-B
MBE-450/15.0	-	450	15,000	3/400	21.7	860	8.3	TTC 2000, JTR-18-1-B
MBE-500/9.0	-	500	9,000	3/400	13.0	1,060	8.3	TTC 2000, JTR-18-1-B




# MBE - electric heaters


### Characteristics




## Supplementary image



wiring diagram 2× 400 V






wiring	diagram,	3×	400 V
--------	----------	----	-------

Туре	curve type
MBE 100/0.4	1
MBE 100/0.8	7
MBE 125/0.4	1
MBE 125/0.8	5
MBE 125/1.2	6
MBE 160/0.7	1
MBE 160/1.4	4
MBE 160/2.1	5
MBE 200/2.0	2
MBE 200/3.0	4
MBE 200/4.0	5
MBE 200/5.0	6
MBE 200/6.0	7
MBE 250/2.0	1
MBE 250/3.0	2
MBE 250/4.0	2
MBE 250/5.0	4

Туре	curve type
MBE 250/6.0	5
MBE 250/9.0	7
MBE 315/3.0	1
MBE 315/6.0	2
MBE 315/9.0	4
MBE 315/12.0	5
MBE 355/6.0	2
MBE 355/9.0	3
MBE 355/12.0	4
MBE 400/6.0	1
MBE 400/9.0	2
MBE 400/12.0	3
MBE 400/15.0	8
MBE 450/15.0	7
MBE 500/6.0	1
MBE 500/9.0	1
MBE 500/12.0	2



permitted mounting positions



prohibited mounting positions